

Syracuse University - ILL / Interlibrary Loan

Borrower: **VYC**
Lending String: **YSM,*SYB,EMU,EMU,VYL**

ILL Number: **92039889**



Patron: **G-SCHEIER, LAURENCE M., <TN;62**

Policy:

Syracuse, NY ; C.M. Davis, c1988.

**Billing Notes; (RLG) (EFTS = NYUCOR)
(METRO = #75) (IF NOT IFM OR EFTS,
INVOICE OK.)**

Charge Maxcost: **\$50.00IFM**
Billing Category: **Default**

**Weill Cornell Medical College Library
Contact Info:**

Fax: **(212) 746-6494**

Ariel: **140.251.15.77**

Odyssey:

Syracuse University Contact Info:

Phone: **315 443-3725**

Email: **ill@syr.edu**

Office Hours:

M-F 8:00am to 5:00pm

Delivered By:

**Syracuse University
Syracuse University Library- ILL/IDS
222 Waverly Ave.
Syracuse, New York
13244**

EMAIL

TN#: **631995**



Article

Request Date: 6/20/2012 3:20:54 PM

Call #: **HQ60 .S498 1988**

Location: **Bird-4th Floor**

Book/Journal Title: **Sexuality-related
measures ; a
compendium /**

Issue:

Year **1988**

Pages: **213-216**

Article Title: **The sex knowledge and
attitude test**

Book Author:

Imprint: **Syracuse, NY ; C.M. Davis, c1988.**

Ship to:

**Weill Cornell Medical College Library
ILS
1300 York Ave.
New York, NY 10065-4896**

Lending - Article

The Sex Knowledge and Attitude Test (SKAT)

Harold I. Lief
Philadelphia, Pennsylvania

The Sex Knowledge and Attitude Test (SKAT) was developed as a means of gathering information about sexual attitudes, knowledge, and degree of experience in a variety of sexual behaviors (Miller & Lief, 1979). It was hoped that the SKAT would be of value as a teaching aid in courses dealing with human sexuality and serve as a research instrument for educators, social scientists, and health professionals. Since its publication in 1972, the SKAT has been administered to thousands of undergraduate, graduate, nursing and medical students, and other health professionals. The test has been used in many countries and has been translated into a variety of languages.

Description

SKAT is essentially an omnibus instrument: It consists of an Attitudes section, a Knowledge section, and two sections dealing with background data and sexual experiences. SKAT contains 149 multiple-choice questions. Part I (Attitudes) is composed of 35, five-alternative, Likert-type items. Part II (Knowledge) contains 71 true/false items, and in Parts III and IV the number of response alternatives per item ranges from 2-10 (Table 1). In addition to item response data, scores on four attitudinal scales and two knowledge scales may be obtained. The SKAT attitudinal scales are not designed to assess or diagnose individuals as such. They should be used in a survey fashion—to describe groups of respondents.

Beginning in 1965, Lief and Reed assembled a pool of questionnaire items drawn primarily from three sources: (a) a survey of relevant literature; (b) clinical experience, and (c) socially controversial sex-related topic areas. This pool of questions gave the SKAT its essential character in the sense of content areas to be covered and item formats to be adopted. Several early decisions were made: (a) SKAT would consist entirely of multiple-choice and true/false items and would be scorable; (b) there would be measurement of a number of variables through groups of items (e.g., scales); and (c) SKAT would be potentially usable throughout the range of post-high school higher education.

A 180-item draft questionnaire was assembled. During the Fall and Winter of 1968-69, this preliminary version was administered to 834 students in three countries, 300 in England, 34 in Sweden, and 500 in the United States. These data led to the second experimental version (SKAT, Form I). Throughout the Fall of 1969 and the Spring of 1970, the revised SKAT was completed by 2,274 medical students at 43 institutions. Examination of this second round of data led to the present SKAT.

The 1972 version of the SKAT represents essentially an abridgement of the previous experimental versions. At the same time, it stands as the outcome of more than 7 years of continuous research, development, and deliberation.

The Development of the SKAT Attitudinal Scales. The final form and item composition of the attitudinal section of SKAT (Form 2) is the direct result of an empirical analysis of the 50 attitudinal items contained in its predecessor, SKAT (Form I). Factor analysis (with oblique rotation) of the item responses of 1,137 freshmen through senior medical students (oblique solution for simple loadings), using the simplest criterion for determining the number of factors to rotate (the number of eigenvalues above unity), identified four factors underlying the Attitudes section of SKAT (Form I): Liberalism (renamed Heterosexual Relations); Acceptance of Sexual Myths; Abortion; and Autoeroticism. Scale scores on these factors were obtained by summing within each scale those items which had factor loadings above .30. Internal consistency reliability was estimated for each of these scales through the calculation of alpha coefficients. These results were cross-validated with a separate sample of 1,137 freshmen through senior medical students. Although there was very little shrinkage upon cross-validation, several of the scale reliabilities were fairly low (.50-.70). The current revision of the Attitudes section of SKAT (Form 2) was undertaken in an attempt to further refine the empirically derived scales from SKAT (Form I).

Since SKAT was conceived as an instrument for describing groups rather than individuals, it was concluded that the number of items per scale could be relatively small (with a consequent loss in reliability of individual scores). With the items from SKAT (Form I) as a nucleus, new items were constructed.

In the Fall of 1971, SKAT (Form 2) was administered to 850 freshmen through senior medical students in 16 medical schools throughout the United States. Subjects within this group were randomly assigned to either the experimental or the cross-validation samples. The results confirmed the four factors developed from SKAT (Form I). The item means, standard deviations, and item-scale correlations of those items loading significantly on each factor in SKAT (Form 2) are presented in Table 2. Item statistics were based on complete data within a scale. Repeating the process articulated earlier, scale scores were calculated for each of the four scales for all members of the experimental sample, and internal consistency reliability estimates (coefficient alpha) were computed. These results were then verified upon the cross-validation sample. The raw scale score means, standard deviations, sample sizes, and coefficient alpha reliability estimates for each scale in both

the experimental and cross-validation samples are presented in Table 3.

The data presented in Table 3 are clear evidence for the high stability and internal consistency of the SKAT (Form 2) attitudinal scale scores. The varying number of subjects within each scale is the result of incomplete data.

The Knowledge Section in SKAT. Part II combines 21 true/false items chosen specifically for the heuristic (teaching) value and 50 true/false questions selected on the basis of purely psychometric considerations.

Those items designated as teaching items were selected from the larger item pool using the following criteria: First, any item designated as a teaching item had to be one which the authors considered all medical or graduate students should know, but which previous research had indicated that at least 10% failed to correctly answer. In most cases, over 25% of these students failed to correctly answer the teaching items. Second, the content of any item designated as a teaching item had to be of such a nature that it could serve as the focal point for either a lecture or a group discussion.

Items included in the 50-question sex knowledge test were selected using purely psychometric criteria: item difficulties ranging from .25 to .75; point biserial correlations of .30 or greater; and, each item adding a positive increment to the consistency of the overall test.

The raw correct score mean of the 50-item knowledge test, based on the entire sample of 851 medical students, is 38.81. The 50-item test has a standard deviation of 5.78 and a standard error of measurement of 2.75. The reliability (KR-21) has been estimated to be .87.

Response Mode, Timing, and Scoring

On the average, it takes about 30 minutes to complete the SKAT, less if only Parts I and II are used, as is often done. On the Attitudes section, respondents circle the number indicating their agreement or disagreement with each statement. The Knowledge section involves true/false responses. A scoring sheet for the true/false part of the test is supplied to the investigator. The scoring sheet differentiates the test items from the teaching items as well as indicates whether the item is true or false. On the section dealing with Attitudes, 14 of the 35 items are reverse scored (see Table 2).

With regard to missing data, the procedure adopted is to compute no attitude scale score when an individual has omitted more than one of the items within a scale. When one item is omitted, the mean of the answered item values is added to the sum of the answered items to obtain a total raw score estimate. Researchers using the scales should bear in mind that the scales in the SKAT must be regarded as ordinal measures only. That is, scale scores serve to order groups of students in higher-than or lower-than relationships on the dimensions measured by the scales.

As an aid to both classroom teachers and researchers, two scores can be used for each subject on SKAT, Part II. One represents the total number of correctly answered items for all 71 items in Part II, and the other is a *T*-

score derived by standardization of the number of items correctly answered on the 50-item sex knowledge test.

Reliability and Validity

Internal consistency estimates (coefficient alpha), based on a sample of 425 medical students in 15 medical schools, are .86 for Heterosexual Relations, .71 for Sexual Myths, .80 for Abortion, and .81 for Autoeroticism. These reliabilities were used to calculate the standard error or measurement presented in Table 2.

Evidence for the construct validity of the SKAT Attitude and Knowledge scales comes from two general types of evidence: (a) correlations between the SKAT scales and selected items within the SKAT, and (b) studies in which the SKAT was administered to subjects before and after some intervention expected to alter sexual attitudes and/or knowledge. Correlational studies based on a sample of 850 medical students demonstrated construct validity (Miller & Lief, 1979). Each of the four Attitude scales is related to other SKAT responses in a way that supports the meaning and interpretation of the scales. For example, liberal attitudes about heterosexual relationships are associated with greater numbers of coital partners ($r = .39$) and a greater rejection of conservative social values ($r = .48$). An increased tendency to reject sexual myths is related to greater sexual knowledge ($r = .57$). Conservative attitudes about abortion are significantly associated with the Catholic religious preference ($r = .34$), and liberal attitudes toward masturbation are associated with greater frequency of masturbation in senior high school ($r = .23$). With a sample of 850, correlations of .10 are significant, $p < .01$.

Evidence for the validity of the Knowledge scale is more difficult to obtain from such an internal analysis of item interrelationships since it is less clear how one's knowledge about sexuality should relate to sexual values or behavior. It is noteworthy, however, that the highest correlation involving the Knowledge scale is that between the Knowledge scale and the Sexual Myths scale.

The second type of evidence for the construct validity of the SKAT scales, that obtained from SKAT testing before and after an intervention designed to change attitudes and/or knowledge, may be found in a number of published studies. Most, but not all, studies demonstrate an increase in sexual knowledge and liberalization of sexual attitudes as measured by the SKAT following educational experiences designed to produce such changes. Several relevant references are included in the list of references.

Other Information

About 35,000 medical students had taken the SKAT by 1979 when computer analysis was no longer included as a direct service to researchers. Since that time, it has been impossible to estimate the number of people who have taken the test, but there is no doubt that many thousands more have been given the SKAT. Not only has it been given to medical students, its primary population, but college students and their parents, nursing

students, graduate students, graduate nurses, a variety of health professionals, handicapped adults, public school teachers, even spouse-abused women, and it has been administered to American, English, Swedish, Israeli, Arab, Colombian, Spanish, Indian, and Japanese medical students (and this list is probably not complete).

The copyright for SKAT belongs to Harold I. Lief and may be purchased from him. The cost of the items is as follows: SKAT Booklet—\$1.00; SKAT Answer Sheet—\$.25; Set of SKAT Hand Scoring Keys—\$3.00; Technical Manual—\$2.50; Norms Booklet—\$1.00; Set of 7 SKAT-related Articles—\$10.00; Reference List—\$1.00; Right to Reproduce SKAT Booklet (no postage charge)—\$25.00.

For orders of less than \$30.00, add \$3.00 for postage and handling. For orders of \$30.00 or more, add 15% for postage and handling. Foreign Postage: For orders of less than \$25.00, add \$7.50 for postage and handling. For orders of \$25.00 or more, add 20% for postage and handling.

References

- Alzate, H. (1974). A course in human sexuality in a Colombian medical school. *Journal of Medical Education*, 49, 438-443.
- Alzate, H. (1982). Effect of formal sex education on the sexual knowledge and attitudes of Colombian medical students. *Archives of Sexual Behavior*, 11, 201-204.
- Bernard, H. S., & Schwartz, A. J. (1977). Impact of a human sexuality program on sex related knowledge, attitudes, behavior and guilt of college undergraduates. *Journal of the American College Health Association*, 25, 182-185.
- Boss, J. R., & McKillip, J. (1979). Program evaluation in sex education: Outcome assessment of sexual awareness weekend workshops. *Archives of Sexual Behavior*, 8, 507-522.
- Ebert, R. K., & Lief, H. I. (1975). Why sex education for medical students? In R. Green (Ed.), *Human sexuality: A health practitioner's text* (pp. 1-6). Baltimore, MD: Williams and Wilkins.
- Elstein, M., Gordon, A. D. G., & Buckingham, M. S. (1977). Sexual knowledge and attitudes of general practitioners in Wessex. *British Medical Journal*, 1, 369-371.
- Elstein, M., Dennis, K. J., & Buckingham, M. S. (1977). Sexual knowledge and attitudes of Southampton medical students. *The Lancet*, 2, 495-497.
- Garrard, J., Alden, L., & Chilgren, R. A. (1972). Student allocation of time in a semioptional medical curriculum, 47, 460-466.
- Garrard, J., Vaitkus, A., & Chilgren, R. A. (1972). Evaluation of a course in human sexuality. *Journal of Medical Education*, 47, 772-778.
- Garrard, J., Vaitkus, A., Held, J., & Chilgren, R. A. (1976). Follow-up effects of a medical school course in human sexuality. *Archives of Sexual Behavior*, 5, 331-340.
- Golden, J. S., & Liston, E. G. (1972). Medical sex education: The world of illusion and the practical realities. *Journal of Medical Education*, 47, 761-771.
- Hadorn, D., & Grant, I. (1976). Evaluation of a sex education workshop. *British Journal of Medical Education*, 10, 378-381.
- Hoch, Z., Kubat (Seidenros), H., & Brandes, J. M. (1977). Results of the Sexual Knowledge and Attitude Test of medical students in Israel. In R. Gemme & C. C. Wheeler (Eds.), *Progress in sexology* (pp. 467-482). New York: Plenum.
- Hoch, Z., Kubat (Seidenros), H., Fisher, M., & Brandes, J. M. (1978). Background in sexual experience of Israeli medical students. *Archives of Sexual Behavior*, 7, 429-441.
- Johnson, M. N., & Boren, Y. (1982). Sexual knowledge and spouse abuse: A cultural phenomenon. *Issues in Mental Health Nursing*, 4, 217-231.
- Kraeger, S. M. (1977). Sexuality and disability. *ARN Journal (Association of Rehabilitation Nurses)*, 2, 8-14.
- Lamberti, J. W., & Chapel, J. L. (1977). Development and evaluation of a sex education program for medical students. *Journal of Medical Education*, 52, 582-586.
- Lief, H. I. (1971). Sex education in medical schools. *Journal of Medical Education*, 46, 373-374.
- Lief, H. I. (1974). Sexual knowledge, attitudes and behavior of medical students: Implications for medical practice. In W. Abse, E. Nash, & L. Loudon (Eds.), *Marital and sexual counseling in medical practice* (pp. 474-494). Hagerstown, MD: Harper and Row.
- Lief, H. I. (1978). Sex education in medicine: Retrospect and prospect. In N. Rosenzweig & F. Pearsall (Eds.), *Sex education for the health professional* (pp. 22-36). New York: Grune and Stratton.
- Leif, H. I., & Ebert, R. K. (1975). A survey of sex education in United States medical schools, in World Health Organization Technical Report Series 572; Education and Treatment in Human Sexuality: The Training of Health Professionals.
- Lief, H. I., & Reed, D. M. (1972). Sex Knowledge and Attitude Test technical manual. Philadelphia: Marriage Council of Philadelphia.
- Lief, H. I., & Payne, T. (1975). Sexuality: Knowledge and attitudes. *American Journal of Nursing*, 75, 2026-2029.
- Marcotte, D. B., & Kilpatrick, D. G. (1974). Preliminary evaluation of sex education course. *Journal of Medical Education*, 49, 703-705.
- Marcotte, D. B., Geyer, P. R., Kilpatrick, D. G., & Smith, A. D. (1976). The effects of a spaced sex education course on medical students' sexual knowledge and attitudes. *British Journal of Medical Education*, 10, 117-121.
- Marcotte, D. B., Kilpatrick, D. G., & Willis, A. (1977). The Sheppe and Hain study revisited: Professional students and their knowledge and attitudes about human sexuality. *Journal of Medical Education*, 11, 201-204.
- Marcotte, D. B., & Logan, C. (1977). Medical sex education allowing attitude alteration. *Archives of Sexual Behavior*, 6, 155-162.
- McNab, W. L. (1976). Sexual attitude development in children and the parents' role. *Journal of School Health*, 46, 537-542.
- Miller, W. R., & Lief, H. I. (1976). Masturbatory attitudes, knowledge and experience: Data from the Sex Knowledge and Attitude Test (SKAT). *Archives of Sexual Behavior*, 5, 447-467.
- Miller, W. R., & Lief, H. I. (1979). The Sex Knowledge and Attitude Test (SKAT). *Journal of Sex and Marital Therapy*, 5, 282-287.
- Mims, F. H., Yeawork, R., & Hornstein, S. (1974). Effectiveness of an interdisciplinary course in human sexuality. *Nursing Research*, 23, 248-253.
- Mims, F. H., Brown, L., & Kubow, R. (1976). Human sexuality course evaluation. *Nursing Research*, 25, 187-191.
- Moracco, J., & Zeidan, M. (1982). Assessment of sex knowledge and attitudes of non-western medical students. *Psychology: A Quarterly Journal of Human Behavior*, 19, 13-21.
- Payne, T. (1976). Sexuality of Nurses: Correlation of knowledge, attitudes and behavior. *Nursing Research*, 25, 286-292.
- Ray, R. E., & Kirkpatrick, B. R. (1983). Two time formats for teaching human sexuality. *Teaching of Psychology*, 10, 84-88.
- Robinson, S. (1984). Effects of a sex education program on intellectually handicapped adults. *Australia and New Zealand Journal of Developmental Disabilities*, 10, 21-26.

- Rosenberg, P., & Chilgren, R. (1973). Sex education discussion groups in a medical setting. *International Journal of Group Psychotherapy*, 23, 23-41.
- Schnarch, D. M. (1981). Impact of sex education on medical students' projections of patients' attitudes. *Journal of Sex and Marital Therapy*, 7, 141-155.
- Schnarch, D. M. (1982). The role of medical students' stereotype of physicians in sex education. *Journal of Medical Education*, 57, 922-930.
- Schnarch, D. M., & Jones, K. (1981). Efficacy of sex education courses in medical schools. *Journal of Sex and Marital Therapy*, 7, 307-317.
- Smith, P. B., Flaherty, C., Webb, L. J., & Mumford, D. M. (1984). Long-term effects of human sexuality training programs for public school teachers. *Journal of School Health*, 54, 157-159.
- Williams, A. M., & Miller, W. R. (1978). The design and use of assessment instruments and procedures for sexuality curricula. In N. Rosenzweig & F. P. Pearsall (Eds.), *Sex Education for the health professional* (pp. 137-146). New York: Grune & Stratton.

Table 1
Content of SKAT

A. Part I—Attitudes (35 items)	
Topic Areas	
1. Sexual activities outside marriage	
2. Sexual activities within marriage	
3. Sexual activities before marriage	
4. Sexual variance, causative agents and remedial or punitive actions	
5. Auto eroticism: male, female, group	
6. Abortion: medical-legal aspects; personal freedom	
B. Part II—Knowledge (71 items)	
Topic Areas	
1. Physiological aspects	
2. Psychological aspects	
3. Social aspects	
C. Part III—Basic Information (12 items)	
Topic Areas	
1. Basic Information	
a. Age	
b. Sex	
c. Race	
d. Marital status	
2. Personal Background	
a. Father's occupation	
b. Parents' education status	
c. Religious affiliation	
d. Earliest sex education	
D. Part IV—Frequency of Sexual Encounters (31 items)	
Topic Areas	
a. Heterosexual encounters	
b. Dating, etc.	
c. Auto-erotic activities	

Table 2
Item Statistics for SKAT (Form 2) Attitude Questions

Question	Scale	Direction ^a	M	SD	Item-total correlation
1	SM	F	3.40	1.17	.50
2	SM	F	3.51	.98	.48
3	HR	F	2.89	1.22	.52
4	A	R	3.88	1.24	.78
5	SM	F	3.86	1.05	.56
6	M	R	3.63	.91	.72
7	HR	F	3.98	1.11	.79
8	SM	F	3.88	.99	.53
9	M	F	4.11	.88	.77
10	HR	R	3.27	1.07	.76
11	A	F	4.12	1.10	.71
12	M	F	4.20	.85	.76
13	A	R	3.21	1.40	.64
14	SM	F	4.31	.83	.54
15	A	R	3.39	1.24	.65
16	HR	F	4.04	1.12	.81
17	SM	F	4.21	.82	.55
18	A	R	3.22	1.36	.69
19	M	F	4.25	.81	.74
22	A	F	4.66	.66	.42
23	HR	R	3.54	1.10	.75
24	M	R	2.45	.85	.59
25	A	F	3.11	1.08	.46
26	SM	F	3.91	.88	.57
27	HR	R	4.10	1.01	.77
29	SM	F	4.05	.81	.56
30	SM	F	3.53	.89	.55
31	A	F	4.22	1.02	.69
32	M	F	3.31	.97	.62
33	HR	F	3.54	1.11	.70
34	HR	R	2.81	1.06	.53
35	M	R	3.58	.93	.71

Note. Questions 20, 21, and 28 are not included in the scoring. SM = Sexual Myths; HR = Heterosexual Relations; A = Abortion; M = Masturbation/Autoeroticism

^aF—Scored forward (SA = 1, A = 2, u = 3, D = 4, SD = 5)
R—Scored reversed (SA = 5, A = 4, u = 3, D 2, SD = 1)

Table 3
Raw Score Means, Standard Deviation, Sample Sizes, and Coefficient Alpha Reliability Estimates for the SKAT (Form 2)
Attitudinal Scales

Scale Designation	Experimental sample				Cross-validation sample			
	M	SD	N	α	M	SD	N	α
Heterosexual relations	28.10	6.41	420	.86	28.35	6.19	420	.86
Sexual myths	34.72	4.62	422	.71	334.82	4.48	420	.68
Abortion	29.70	6.08	423	.80	29.99	5.66	418	.77
Autoeroticism	25.65	4.20	424	.81	25.63	4.55	418	.84